

PALENT COOPERATION TREAT.

From th INTERNATIONAL BUREAU

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

Commissioner
US Department of Commerce
United States Patent and Trademark
Office, PCT
2011 South Clark Place Room
CP2/5C24

Arlington, VA 22202

Date of mailing (day/month/year)

08 February 2001 (08.02.01)

ETATS-UNIS D'AMERIQUE
in its capacity as elected Office

International application No.
PCT/SE00/00522

International filing date (day/month/year)
17 March 2000 (17.03.00)

Applicant
SAGEFALK, Willy et al

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland **Authorized officer**

R. E. Stoffel

Facsimile No.: (41-22) 740.14.35

Telephone No.: (41-22) 338.83.38

PCT

REQUEST

The undersigned requests that the present international application be processed

1	For receiving Office use only
	International Application No.
	International Filing Date
	Name of receiving Office and "PCT International Application"

according to the Patent Cooperation Treaty. Applicant's or agent's file reference (if desired) (12 characters maximum) A DIGITAL CAMERA HAVING PANNING AND/OR TITLE OF INVENTION Box No. I TILTING FUNCTIONALITY; AND AN IMAGE ROTATING DEVICE FOR SUCH A CAMERA Bos No. II **APPLICANT** Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) This person is also inventor. Telephone No. Axis AB Scheelevägen 16 Facsimile No. S-223 70 LUND Sweden Teleprinter No. State (that is country) of residence: State (that is. country) of nationality: Sweden Sweden the States indicated in the Supplemental Box the United States of America only X all designated States except the United States of America This person is applicant all designated States for the purposes of: Box No. HI FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S) Name and address: (Family name followed by given name: for a legat entity, full official designation. The address must include postal code and name of country. The country of the address must include postal code and name of country) of residence (I no State of residence is indicated before.) This person is: applicant only X applicant and inventor SAGEFALK, Willy Möllevångsvägen 8 inventor only (If this check-havis market; do not fill in helow.) 5-222 40 LUND Sweden State (that is, country) of residence: State (that is, country) of nationality: Sweden Sweden the States indicated in the Supplemental Box Ine United States of America only all designated States except the United States of America all designated States This person is applicant for the purposes of: X Further applicants and/or (further) inventors are indicated on a continuation sheet. AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE

Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

Form PCT/RCV101 (first sheet) (July 1998; reprint July 1999)

Karlsson and Björn Andersson)

P O Box 4188 g-203 13 MALMO

Sweden

The person identified below is hereby/has been appointed to act on behalf

Name and address: (Family name followed by given name: for a legal entity, full official designation. The address must include postal cade and name of country)

Ström & Gulliksson AB (Any of Tore Ström,

Jonas Gulliksson, Stellan Petri, Leif

of the applicant(s) before the competent International Authorities as:

See Notes to the request form

common representative

23 78 97

757 45

X agent

l'elephone No.

Facsimile No.

+46 40

+46 40

Teleprinter No.



Sheet	No. 4
Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)
	d, this sheet should not be included in the request.
Name and address: (Family name followed by given name: for designation. The address must include postal code and name of designation. The address must include postal code and name of address indicated in this Bax is the applicant's State (that is, could residence is indicated below.) ABRAHAMSSON; Lars Videgatan 1B S-582 46 LINKÖPING Sweden	r a legal entity, full official
State (that is, country) of nationality:	State (that is, country) of residence:
Sweden	Sweden
This person is applicant for the purposes of:	grated States except America X of America only the Supplemental Box
Name and address: (Family name followed by given name:) designation. The address must include postal code and name of address indicated in this Box is the applicant's State (that is, co of residence is indicated below.)	This person is: This person is: applicant only applicant and inventor inventor only (If this check-bart is marked, do not fill in below.)
	State (that is country) of residence:
State (that is, country) of nationality:	
This person is applicant all designated all designated for the purposes of:	ignated States except the United States of America only the States indicated in the Supplemental Box
Name and address: (Family name followed by given name designation. The address must include postal code and name address indicated in this Bas is the applicant's State (that is, c of residence is indicated below.)	applicant only applicant and inventor inventor only (if this check-box is marked, do not fill in below.)
State (that is, country) of nationality:	State (that is, country) of residence:
This person is applicant all designated all de for the purposes of:	esignated States except
Name and address: (Family name fullowed by given name; designation. The address must include postal code and nume address indicated in this Bax is the applicant's State (that is, of residence is indicated below.)	for a legal entity, full afficial e of country. The country of the country of the country) of residence if no State This person is: applicant and inventor inventor only (If this check-hor is murked, do run fill in below.)
State (that is, country) of nationality:	State (that is, country) of residence:
This person is applicant all designated aft of the purposes of:	designated States except the United States the Supplemental But Inited States of America only the Supplemental But Inited States on Inited Sta
Further applicants and/or (further) inventors are in	dicated on another continuation sheet.

Form PCT/REMENT recontinuation sheets (July 1998) reprint July 1999).

See Notes to the request form



Sheet No. 3....

Box No	o.V	DESIGNATION OF STATES			1				
The fol	lowin	g designations are hereby made under Rule 4.9(n) /m	ark the	applic	able check-boxes: at least one must be marketti:				
Region									
_	AP	ARIPO Patent: GH Ghana, GM Gainhia, KE Kenya.	LS Les	otho.	MW Malawi. SD Sudan, SL Sierra Leone, SZ Swaziłand, intracting State of the Harare Protocol and of the PCT				
_		AC ABUGY SA SILKOSDAE, BUG BUY BUILD ACTED IN			Was Warmen WZ Karakhetan MD Republic of				
×		RIPO Patent: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Station, SD Station of the PCT Station of Compacting Station Patent Convention and of the PCT of the Eurasian Patent Convention and of the PCT of the Eurasian Patent: AT Austria, BE Belgium, CH and UT Switzerland and Liechtenstein, CY Cyprus, DE Germany, increase Patent: AT Austria, BE Belgium, CH and UT Switzerland and Liechtenstein, CY Cyprus, DE Germany.							
23		ropean Patent: AT Austria, BE Belgium, CH and LI Switzerland and Lieschterhand, IT Italy, LU Luxembourg. [Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg. [Manaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European CM Canaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European CM Canaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European CM Canaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European CM Canaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European CM Canaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European CM Canaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European CM Canaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European CM Canaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European CM Canaco, NL Netherlands, PT Portugal, SE Sweden, and State of the European CM CM Canaco, NL Netherlands, NL Nethe							
		GA Cabon. Grounder of Value of OAPI are any other State which is a member State of OAPI are desired assertion of detect line.	nd a Co	ontract	ing State of the PCT (if other kind of protection is it cannot				
Netice	al Patr	at (if other kind of protection or treatment desired, specify	on đơi	red line	e) :				
1 23	A F.	United Arab Emirates	X	1.12	Liberia				
53	AL			LS	Lesotho				
8	AM	Armenia	(23)	LT	Lithuania				
Ø	AT	Austria	Ø	LU	Euxembourg				
図	AU		2	Ł¥	Latvio				
Ø		Azerbaijan	2	MD	Republic of Moldova				
図	BA	Bosnia and Herzegovina	关	MG	Madagascar				
2	88	Barbados		MK	The former Yugoslav Republic of Macedonia				
×	BG								
8	BR		Ø	MN	Mongolia				
Ø	BY		(2)	MV	V Malawi				
<u> </u>		Canada	8	MX	Mexico				
Ø		and LI Switzerland and Liechtenstein		NO	Norway				
図	CN	China	(33	NZ	New Zealand				
Ø	CU	Cuba		PL	Potand				
<u> </u>	CZ	Czech Republic	X	PT	Portugal				
Ø	DE	Germany	Ø	RO	Romania				
5	DK	Denmark	Z	RU	Russian Federation				
<u> </u>	EE	Estonia	X	SD	Sudan				
2	ES	Spain	×	SE	Sweden				
X		Finland	Ø	SC	Singapore				
120		United Kingdom		ţ \$t	Stovenia				
[2]	G) Grenada	乙	j sk	Slovakia				
12₫	GE	Georgia	×	SL	Sierra Leone				
×	GI	f Ghana	Œ		Tajikistan				
Ø	G	4 Gambia		TA.	1 Turkmenistan				
	H	Croatia:	X		t. Turkey				
02	્રા	J Hungary	12	יז	Trinidad and Tobago				
12	, 10			J U/	Ukraine				
12	j IŁ		8						
108	IN	India	(2	3 US	United States of America				
12	i is	feeland		a	Z Uzbekistan				
Ø	1 JP	Japan	Œ	-					
2	K	E Kenya	2	Ξ.					
1 2	K	G Kyrgyzsian	2	=					
Ø	<u>a</u> K		2	2					
1		*******************************	<u> </u>		to designating States which have				
5	∄ K	R Republic of Korea	t C	neck• ccomo	parly to the PCT after issuance of this sheet:				
E	_	Z. Kazakhstan	_	٦ .					
5	_	C Saint Lucia	-	٦ .					
	Z L	K Sri Lanka	oionati.	005 033	ade above, the applicant also makes under Rule 4.9(b) all oth				

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(h) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declures that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation of a designation coursists of the filing of a unice specifying that designation and the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation of a designation coursists of the filing of a unice specifying that designation and the priority date is to be regarded as withdrawn by the applicant of the expiration of that time limit.)

See Notes to the expiration of the confirmation must reach the receiving Office within the 15-month time limit.)

Form PCT/Rt)/101 (second sheet) (July 1999)

See Notes to the request form



Sheet No. 4.....

			SHOCK TOO.		is the Supplemental Boy
Box No. VI PR	IORITY CLAI	M	Further prior		in the Supplemental Box.
Filing date Number of cardier application of earlier application				Where carlier applicat	
of carlier appli (day/month/)	CRITOIL .	of earlier application	national application: country	regional application:* regional Office	international application: receiving Office
item (1)					
19.03.19	99	9901038-1	Sweden		
item (2)					
item (3)				.	
of the carlier	application(s) (d	only if the earlier app autonal annitication i	ansmit to the International Bu plication was filed with the s the receiving Office) identit	fied above as item(s):	
			is mandatory to indicate in the h that earlier application was j	- 1	out country party to the Parts Supplemental Box.
Box No. VII IN	TERNATIONA	LL SEARCHING A	UTHORITY		
Choice of Internat	ional Searching	Authority (ISA)	Request to use results of easterch has been carried an by	rilor search; reference or requested from the inter	to that search (if an earlier national Searching Authority):
competent to curry the Authority chosen	and that tratefield	nal search, indicate	Date (deprimentlywar)	Number	Country. (or. regional Office)
ISA / SE	mov i tor	ANCHACE OF E	II ING		
		LANGUAGE OF F	ional application is accompa	nled by the item(s) mark	ced below:
This international the following num	ber of sheets:		icnistion spest	inter of an industry.	
request	: 4		ste signed power of attorney		
description (exclude sequence listing pages	ding art) : 7	3. 🔲 сору	of general power of attorney:		ay:
claims	: 2		nent explaining lack of signs		
abstract	: 1		ty document(s) identified in		
drawings	: 4	6. 🔲 transl	ation of international applica	tion into (language):	A 8 8 8 15 15 15 15 15 15 15 15 15 15 15 15 15
sequence listing p	ert .	7. 🗀 separi	ate indications concerning de	posited microorganism	or other protogram apprentite
of description	•	8, 🔲 nucle	otide and/or amino acid sequ	ence listing in computer	readable form
Total number of	sheets: 18	9. Other			
Figure of the dra should accompany	wings which the abstract:	1	Language of filing of the international application:	English	
Bex No. IX SI	GNATURE OF	APPLICANT OR	AGENT		1
Next to each signature	indicate the name	of the person signing on	d the copocity in which the person	signs (if such capacity is not a	orwale from reading the respects).
Malmö, M					•
Ström &	Gulliks	son AB			
Björn Ar	dersson				
			or receiving Office use only		2. Drawings:
Date of actual international a	receipt of the pr pplication:	urported			
	of actual receip d papers or drav international ap	rings completing			received:
4. Date of timely corrections un	receipt of the moder PCT Article	equired t (2):			not received:
5. International S		rity TCA	6. Transmi	ttal of search copy delay such fee is paid.	red
		For	International Bureau use onl	у	
Date of receipt of	f the record copy	у			

30/10/00



This sheet is not part of and does not count as a sheet of the international application:

PCT	For receiving Office use only
FEE CALCULATION SHEET Annex to the Request	International application No.
Applicant's or agent's file reference W 3313-048	Date stamp of the receiving Office
Applicant	l l
Axis AB	
CALCULATION OF PRESCRIBED FEES	1000 🗇
I. TRANSMITTAL FEE	
2. SEARCH FEE	8510 13
International search to be carried out by SE (If rwo or more International Searching Authorities are competent in relational application, indicate the name of the Authority which is chosen to carry out the	tion to the intermational
3. INTERNATIONAL FEE	
Basic Fee The international application contains sheets.	_
first 30 sheets	b1 b2
remaining sheets additional amount	
Add amounts entered at b1 and b2 and enter total at B	3540 B
Designation Fees The international application contains designations.	6080
number of designation fees amount of designation fee	
payable (maximum 10)	1 9620
Add amounts entered at B and D and enter total at 1 (Applicants from certain States are entitled to a reduction of 75 international fee. Where the applicant is (or all applicants are) so en total to be entered at t is 25% of the sum of the amounts entered at t	% of the titled, the
4. FEE FOR PRIORITY DOCUMENT (if applicable)	
5. TOTAL FEES PAYABLE	19130
Add amounts entered at T, S, I and P, and enter total in the TOTA	t box TOTAL
The designation fees are not paid at this time.	
MODE OF PAYMENT	
authorization to charge deposit account (see below) X cheque cash postal money order revenue staning	coupons other (specify):
DEPOSIT ACCOUNT AUTHORIZATION (this mode of payme	nt may not be available at all receiving Offices)
The R(V is hereby authorized to charge the total to the R(V is hereby authorized to charge any deficient to the R(V is hereby authorized to charge any deficient to the R(V is hereby authorized to charge any deficient to the R(V is hereby authorized to charge any deficient to the R(V is hereby authorized to charge the total to the R(V is hereby authorized to charge the total to the R(V is hereby authorized to charge the total to the R(V is hereby authorized to charge the total to the R(V is hereby authorized to charge the total to the R(V is hereby authorized to charge the total to the R(V is hereby authorized to charge the total to the R(V is hereby authorized to charge the total to the R(V is hereby authorized to charge the total to the R(V is hereby authorized to charge the total to the R(V is hereby authorized to charge the R(V	the conditions for deposit occounts of the receiving Office so permit) is easy or credit any overpayment in the total fees indicated above to my
is hereby authorized to charge the fee for Bureau of WIPO to my deposit necount	r preparation and transmittal of the priority document to the International .
Deposit Account No. Date (day/month/year)	Signature
Deposit Account No. Date (day/manus/cor)	Co. Video to the fee calcul

L. 091.700530

PATENT COOPERATION TREATY

PCT

REC'D 19 JUN 2001

INTERNATIONAL PRELIMINARY EXAMINATION

PORT PO

(PCT Article 36 and Rule 70)

14

[A - 10 10				·		*
W3313-	_	ent's file reference	FOR FURTHER A	CTION		ation of Transmittal of International Examination Report (Form PCT/IPEA/416)
Internation	nal app	lication No.	International filing date	(day/mont/	h/year)	Priority date (day/month/year)
PCT/SE	00/00)522	17/03/2000			19/03/1999
Internation G03B37		ent Classification (IPC) or na	ational classification and IF	PC .		RECEIVED
						OCT 0 4 2001
Applicant AXIS AE	3				·	Technology Center 2600
1. This and i	intern s tran	ational preliminary exam smitted to the applicant a	ination report has been according to Article 36.	prepared	d by this Inte	rnational Preliminary Examining Authority
2. This	REPO	PRT consists of a total of	4 sheets, including thi	s cover s	heet.	
t (see R	eport is also accompanied amended and are the bas tule 70.16 and Section 60 exes consist of a total of	sis for this report and/or 07 of the Administrative	r sheets c	ontaining red	n, claims and/or drawings which have ctifications made before this Authority e PCT).
3. This	report	contains indications rela	ting to the following iter	ms:		
I	\boxtimes	Basis of the report				
II		Priority	•			
III		Non-establishment of o	pinion with regard to no	ovelty, inv	entive step a	and industrial applicability
IV		Lack of unity of invention				
V	⊠	Reasoned statement ur citations and explanation	nder Article 35(2) with rens suporting such state	egard to r ement	novelty, inver	ntive step or industrial applicability;
VI		Certain documents cite	ed			
VII		Certain defects in the in	ternational application			
VIII		Certain observations on	the international appli	cation		
Date of sub	missio	n of the demand		Date of c	completion of the	his report
27/09/20	00			15.06.20	01	
Name and opreliminary	mailing exami	address of the international ning authority:		Authorize	ed officer	SON SONS MINE
<u>)</u>	Euro D-80 Tel	pean Patent Office 298 Munich +49 89 2399 - 0 Tx: 523656	epmu d	Artelsm	nair, G	The state of the s
	⊢ax:	+49 89 2399 - 4465		Telephor	ne No. +49 89	2399 8989

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/SE00/00522

I. Ba	asis	of	the	rep	ort
-------	------	----	-----	-----	-----

1.	the and	receiving Office in I	nents of the international ap response to an invitation und this report since they do no	der Article 14 are	referred to in this	report as "originally filed"
	1-7	•	as originally filed			
	Cla	ims, No.:				
	1-3		as received on	11/05/2001	with letter of	11/05/2001
	Dra	wings, sheets:				
	1-4		as originally filed			
2.			uage, all the elements mark nternational application was			
	The	ese elements were a	vailable or furnished to this	Authority in the fo	ollowing language:	, which is:
		the language of a t	ranslation furnished for the I	purposes of the in	nternational searcl	n (under Rule 23.1(b)).
		the language of pu	blication of the international	application (unde	er Rule 48.3(b)).	
		the language of a t 55.2 and/or 55.3).	ranslation furnished for the p	ourposes of inter	national prelimina	y examination (under Rule
3.			eotide and/or amino acid so examination was carried or			
		contained in the int	ernational application in writ	ten form.		
		filed together with t	he international application i	in computer read	able form.	
		furnished subseque	ently to this Authority in writt	en form.		
		furnished subseque	ently to this Authority in com	puter readable fo	orm.	
			the subsequently furnished plication as filed has been for		e listing does not g	go beyond the disclosure in
		The statement that listing has been fur	the information recorded in nished.	computer readat	ole form is identica	I to the written sequence
4.	The	amendments have	resulted in the cancellation	of:		
		the description,	pages:			
		the claims,	Nos.:			

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/SE00/00522

		the drawings,	sheets:	*	
5.					some of) the amendments had not been made, since they have been as filed (Rule 70.2(c)):
		(Any replacement she report.)	et contai	ining such	n amendments must be referred to under item 1 and annexed to this
6.	Ado	ditional observations, if	necessa	ry:	
V.		asoned statement und itions and explanation			rith regard to novelty, inventive step or industrial applicability;
1.	Stat	tement			
	Nov	velty (N)	Yes: No:	Claims Claims	1-3
	Inve	entive step (IS)	Yes: No:	Claims Claims	1-3
	Indu	ustrial applicability (IA)	Yes: No:	Claims Claims	1-3
2.		tions and explanations separate sheet			

- **EXAMINATION REPORT SEPARATE SHEET**
- 1 The application relates to a digital camera having a panning/tilting functionality.
- 2 Nearest prior art is US-A-3868706 (D1) which describes a camera according to the preamble of claims 1 and 3.

A similar device is known from US-A-4499490 (D2).

The other documents cited in the ISR only relate to the general technological background.

3 Concerning claim 1:

In the prior art cameras as described in D1 or D2 there arises the problem that when the mirror is rotated the image produced by the camera will become distorted. According to claim 1 this problem is solved by the provision of image transforming means which means are adapted to rotate the digital image by an angle related to the angle of rotation of the mirror.

Although image transformation of digital images is known per se for different purposes there is no indication in the cited prior art which would make it obvious for a skilled person to use image transformation means in a camera with panning/ tilting functionality in order to automatically compensate for image rotating effects.

Concerning claim 3:

The subject-matter of claim 1 differs from what is described in D1 or D2 in that a second mirror mounted externally to the camera housing and a second rotational member for rotating the second mirror is foreseen. This arrangement allows a more compact design and a wider field of view. Since all the cameras described in the cited prior art are single mirror devices it is difficult to argue that the arrangement according to claim 3 could be derived in an obvious manner from the available prior art.

15

010510 W:\3313048 amended PCT claims.doc Ba/lj

8

CLAIMS

1. A digital camera (300) having panning and/or tilting functionality, comprising: a camera housing (6) 5 with an optical input (400), such as a lens or objective (8); an image capturing unit (500) for producing a digital image from light received through the optical input; a controller (600); a first mirror (9) mounted externally to the camera housing (6); and an image rotating device (200), which is connected to the controller (600) and is adapted to rotate the first mirror at an angle of rotation with respect to the optical axis of the input (400, 8) of the camera housing (6), characterized by

an image transforming unit (800), which is connected to the image capturing unit (500) and is adapted to rotate the digital image, as captured by the image capturing unit (500), by an angle related to the angle of rotation of the first mirror (9).

- 20 2. A digital camera as in claim 1, further comprising a second mirror (10) mounted externally to the camera housing (6), wherein the image rotating device (200) is adapted to rotate the second mirror at a second angle of rotation with respect to the optical input (400, 8) of 25 the camera housing (6).
 - 3. An image rotating device (200) for a digital camera (300) having a camera housing (6), an optical input (400), such as a lens or objective (8), and an image capturing unit (500) for producing a digital image from light received through the optical input, the image rotating device comprising a first mirror (9) mounted externally to the camera housing (6), and a first rotational member (5, 7) for rotating the first mirror at a first angle of

30

AHODDHOVOZETT

CLMS.

010516 W:\3313048 amended PCT claims.doc BA/15

rotation with respect to the optical axis of the input (400, 8) of the camera housing, characterized by

a second mirror (10) mounted externally to the camera housing (6); and

a second rotational member (3, 7) for rotating the second mirror at a second angle of rotation with respect to the optical input (400, 8) of the camera housing,

wherein the first and second mirrors are arranged along a common optical axis.

10

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: G03B 37/00

A1

(11) International Publication Number:

WO 00/57246

(43) International Publication Date: 28 September 2000 (28.09.00)

(21) International Application Number:

PCT/SE00/00522

(22) International Filing Date:

17 March 2000 (17.03.00)

(30) Priority Data:

9901038-1

19 March 1999 (19.03.99)

SE

(71) Applicant (for all designated States except US): AXIS AB [SE/SE]; Scheelevägen 16, S-223 70 Lund (SE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): SAGEFALK, Willy [SE/SE]; Möllevångsvägen 8, S-222 40 Lund (SE). ABRAHAMSSON, Lars [SE/SE]; Videgatan 1B, S-582 46 Linköping (SE).

(74) Agents: STRÖM, Tore et al.; Ström & Gulliksson AB, P.O. Box 4188, S-203 13 Malmö (SE).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published


With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: A DIGITAL CAMERA HAVING PANNING AND/OR TILTING FUNCTIONALITY, AND AN IMAGE ROTATING DEVICE FOR SUCH A CAMERA

(57) Abstract

A digital camera (300) has panning and/or tilting functionality and comprises: a camera housing (6) with an optical input (400), such as a lens or objective (8); an image capturing unit (500) for producing a digital image from light received through the optical input; and a controller (600). A first mirror (9) is mounted externally to the camera housing (6). An image rotating device (200) receives an angular displacement control signal from the controller (600) and rotates the first mirror at an angle with respect to the optical input (400, 8) of the camera housing (6).



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

15

20

30

35

A DIGITAL CAMERA HAVING PANNING AND/OR TILTING FUNCTIONALITY, AND AN IMAGE ROTATING DEVICE FOR SUCH A CAMERA

5 Technical Field

The present invention relates to a digital camera having panning and/or tilting functionality, and more specifically to a digital camera having a camera housing with an optical input, such as a lens or objective, an image capturing unit and a controller. The invention also relates to an image rotating device for providing the panning and/or tilting functionality of such a digital camera.

Background Art

A common example of a digital camera with panning and/or tilting functionality is a web camera, which e.g. may be mounted at a given location for the purpose of surveillance, production monitoring, etc. The web camera comprises an optical input in the form of a lens or objective and an image capturing unit for producing a digital image from light received from the optical input. Usually, the image capturing unit comprises a CCD element (Charge Coupled Device). The web camera has software and hardware for allowing the camera to be connected to a given network, such as an Ethernet or Token Ring network. The web camera is arranged to produce digital images at a given rate, such as 1-25 images per second. In order to increase the visual volume covered by the web camera, the camera is provided with mechanical means for panning and/or tilting the camera. Generally speaking, "panning" means rotating the camera by a given angle (normally 0°-360°) in a horizontal plane, and "tilting" means rotating the camera by a given angle (normally 0°-180°) in a vertical plane.

In prior art web cameras the panning and/or tilting functionality is obtained by moving the whole camera or at

least the objective thereof. Since the camera and objective have a considerable weight, such an approach involves complex, large and expensive mechanics. Furthermore, the speed at which the camera may be panned or tilted is restricted due to the large mass, that has to be moved accordingly.

Summary

20

25

30

It is an object of the present invention to provide a digital camera, which allows faster and more accurate panning and/or tilting, thereby allowing the camera to produce more images per time unit. Furthermore, it is an object of the present invention to provide an image rotating device, to be mounted externally to the digital camera, for providing efficient and rapid panning and/or tilting funtionality, without requiring large or expensive mechanics.

The above objects are achieved by providing the digital camera with an image rotating device having a mirror mounted externally to the camera housing and having a rotational member for rotating the mirror with respect to the optical input (lens or objective) of the camera housing in response to an angular displacement control signal received from a controller of the digital camera.

Other objects, features and advantages of the present invention will appear from the following detailed disclosure, from the appended claims as well as from the drawings.

Brief Description of the Drawings

A preferred embodiment of the present invention will now be described in more detail, reference being made to the accompanying drawings, in which: FIG 1 is a schematic block diagram of the overall structure of a digital camera according to the preferred embodiment.

FIG 2 is a first sideview of the image rotating device and the camera, to which it is mounted,

FIG 3 is a second sideview of the image rotating device and the camera shown in FIG 2, and

FIG 4 is a topview of the image rotating device shown in FIGs 2 and 3.

10

25

30

35

Detailed Disclosure

Referring to FIG 1, a digital camera 300 is illustrated in a basic modular form. The digital camera 300 is arranged to produce one or several digital image(s) of a generic object 100, which may be any physical object that is present in a volume optically covered by the digital camera 300. An inventive image rotating device 200 is mounted externally to the digital camera 300 in front of an optical input 400 of the digital camera. The optical input 400 is a generally known lens or objective. The purpose of the image rotating device 200 is to extend the available field of view of the digital camera 300 in at least one plane, preferably in a horizontal plane as well as in a vertical plane. A preferred embodiment of the image rotating device 200 will be described in more detail with reference to FIGs 2-4.

As shown in FIG 1, the digital camera 300 further comprises an image capturing unit 500, which is provided with appropriate means for producing a digital image representative of the object 100. Preferably, the image capturing unit 500 comprises a CCD element (Charge Coupled Device), the internal structure of which is believed to be well-known to a man skilled in the art. The digital camera 300 also has a controller 600 for controlling the image capturing unit 500 as well as the external image rotating

20

25

30

device 200. The controller 600 is operatively connected not only to the device 200 and the unit 500 but also to a digital memory 700 for storing images captured by the image capturing unit 500. Furthermore, the digital camera 300 may comprise an image transforming unit 800, the purpose of which is to rotate the digital image to compensate for image rotating effects caused by the image rotating device 200, when the field of view is panned or tilted. The image transforming unit 800 is responsive to an angle of rotation of the image rotating device 200 with respect to the objective 400 and uses this angle of rotation when transforming the digital image to compensate for the current pan and/or tilt angle. To perform such image transforming, i.e. to rotate a digital image in one or more than one direction, is believed to be well within reach of a man skilled in the art of digital cameras. Therefore, the internal structure of the image transforming unit 800 will not be described herein.

The memory 700 may be implemented by any commercially available memory, such as an EEPROM memory.

As indicated in FIG 1, the digital camera 300 may be connected to a network 900, such as an Ethernet or Token Ring network, which in turn may be part of the Internet. In such an application, the controller 600 of the digital camera 300 is provided with appropriate software for allowing the digital camera 300 to act as a web camera available on the network 900, i.e. a web server that produces digital images.

The pan and/or tilt angle of the digital camera 300, or more specifically the angle(s) by which the image rotating device changes the field of view of the camera 300 with respect to a central axis of the objective 400, may be set and changed by a user of the camera by accessing the controller 600 through the network 900. Alternatively, the

pan and/or tilt angle(s) may be controlled from a computer directly connected to the digital camera 300.

A preferred embodiment of the image rotating device 200 will now be described in more detail with reference to FIGs 2-4. The following elements are shown in these drawings:

Qty	Ref. No.	Name
1	19	Frame
1	18	Timing belt
		tightener
1	17	Belt wheel
1	16	Timing belt
1	15	Belt wheel
1	14	Timing belt
1	13	Timing belt
		tightener
2	12	Optical sensor
1	11	Mirror holder
1	10	Tilting mirror
1	9	Fixed mirror
1	8	Camera lens
		(objective)
2	7	Motor
1	6	Camera housing
1	5	Mirror wheel
1	4	Bevel gear
1	3	Tilt shaft
2	2	Fixing part
1	1	Guiding wheel

The image rotating device 200 has a mirror system,
comprising a first fixed mirror 9 and a second tilting
mirror 10. The fixed mirror 9 is mounted directly in front
of the objective 8 at an angle of 37° relative to the

25

30

35

optical center axis of the camera 300. The fixed mirror 9 is mounted to a mirror wheel 5, which is rotatable around the objective and hence provides a field of view with an angle of rotation of between 0° and 360°.

In the center of the field of view the tilting mirror 10 is mounted, so that the axis of rotation thereof is perpendicular to the optical center axis of the camera. The tilting mirror 10 is carried on the mirror wheel 5, thereby causing the tilting mirror 10 to rotate around the objective 8 together with the fixed mirror 9. Thanks to the geometrical arrangement of the mirrors 9 and 10 with respect to the objective 8, it is possible to monitor a large volume in a short time.

The tilting mirror 10 is attached to a mirror holder 11, which in turn is journalled in the mirror wheel 5 between two fixing parts 2. Opposite to the mirror wheel 5 a slightly smaller guiding wheel 1 is concentrically mounted. A tilt shaft 3 is eccentrically mounted to the mirror wheel, so as to cause the tilting mirror 10 to move. The guiding wheel 1 transmits its motion to the tilt shaft 3 and from the tilt shaft 3 through a bevel gear 4 to the mirror holder 11. The arrangement resembles a planetary gear, where the guiding wheel represents a sun pinion and the tilt shaft represents a planet pinion. The mirror wheel acts as holder of the planet pinion.

When the mirror wheel does not move, if the guiding wheel is rotated, the tilt shaft 3 will rotate around its own axis, wherein the mirror holder 11 will be rotated around its axis of rotation. Hence, the tilting mirror 10 is rotated with respect to the mirror wheel 5, and the center axis of the field of view will be angled with respect to the optical center of the camera. If the mirror wheel 5 and the guiding wheel 1 rotates at the same angular velocity, there will be no relative motion in the tilt shaft and consequently no rotation of the mirror

25

holder/mirror around its axis of rotation. However, the mirror wheel 5 as a whole will rotate with the fixed mirror 9 and the tilting mirror 10 at a constant angle to the optical center axis of the camera.

In other words, by rotating the mirror wheel 5 and the guiding wheel 1 synchronously, the field of view may be rotated 360° for any given tilt angle. Then, if the wheels are rotated relative to each other, the angle of the mirror holder 11 will change, and the field of view may be again be rotated 360° for a new tilt angle. In this way, a very large volume around the camera may be covered, and images may be obtained for any given location within this large volume.

The mirror wheel 5 and the guiding wheel 1 are driven by respective motors 7. Belt wheels 15, 17, timing belts 14, 16 and timing belt tighteners 13, 18 are provided, as shown in FIGs 2-4.

The inventive image rotating device provides at least the following advantages:

- Low moment of inertia for rotating parts
- High pan/tilt adjustment speed, short time between angular settings
- High setting accuracy
- Compact design
- Few structural components
- Low manufacturing cost
- Flexible design
- Simple pan/tilt control
- Wide field of view
- The present invention has been described above with reference to a preferred embodiment. However, other embodiments than the one disclosed herein are possible within the scope of the invention, as defined by the appended independent patent claims.

30

CLAIMS

1. A digital camera (300) having panning and/or tilting functionality, comprising: a camera housing (6) with an optical input (400), such as a lens or objective (8); an image capturing unit (500) for producing a digital image from light received through the optical input; a controller (600); a first mirror (9) mounted externally to the camera housing (6); and an image rotating device (200), which is connected to the controller (600) and is adapted to rotate the first mirror at an angle of rotation with respect to the optical input (400, 8) of the camera housing (6), characterized by

an image transforming unit (800), which is connected to the image capturing unit (500) and is adapted to rotate the digital image, as captured by the image capturing unit (500), by an angle related to the angle of rotation of the first mirror (9).

- 2. A digital camera as in claim 1, further comprising a second mirror (10) mounted externally to the camera housing (6), wherein the image rotating device (200) is adapted to rotate the second mirror at a second angle of rotation with respect to the optical input (400, 8) of the camera housing (6).
 - 3. An image rotating device (200) for a digital camera (300) having a camera housing (6), an optical input (400), such as a lens or objective (8), and an image capturing unit (500) for producing a digital image from light received through the optical input, the image rotating device comprising a first mirror (9) mounted externally to the camera housing (6), and a first rotational member (5, 7) for rotating the first mirror at a first angle of

rotation with respect to the optical input (400, 8) of the camera housing, characterized by

a second mirror (10) mounted externally to the camera housing (6); and

a second rotational member (3, 7) for rotating the second mirror at a second angle of rotation with respect to the optical input (400, 8) of the camera housing.

FIG 1




FIG 2

3/4




FIG 3

4/4




FIG 4

INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 00/00522 A. CLASSIFICATION OF SUBJECT MATTER IPC7: G03B 37/00 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC7: G03B Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched SE,DK,FI,NO classes as above Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WPI, PAJ C. DOCUMENTS CONSIDERED TO BE RELEVANT Category* Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. Α US 5717512 A (CHMIELEWSKI, JR. ET AL), 1-3 10 February 1998 (10.02.98) US 3868706 A (STEINGOLD), 25 February 1975 Α 1-3 (25.02.75)Α US 4499490 A (MORGAN), 12 February 1985 (12.02.85) 1-3 US 5606368 A (CORRADINI), 25 February 1997 A 1 - 3(25.02.97)Further documents are listed in the continuation of Box C. See patent family annex. Special categories of cited documents: later document published after the international filing date or priority date and not in conflict with the application but cited to understand "A" document defining the general state of the art which is not considered the principle or theory underlying the invention to be of particular relevance erlier document but published on or after the international filing date "X" document of particular relevance: the claimed invention cannot be document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other considered novel or cannot be considered to involve an inventive step when the document is taken alone special reason (as specified) "Y" document of particular relevance: the claimed invention cannot be document referring to an oral disclosure, use, exhibition or other considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 1 8 -07- 2000 3 July 2000 Name and mailing address of the ISA/ Authorized officer Swedish Patent Office

Björn Kallstenius / JA A

+46 8 782 25 00

Telephone No.

Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

INTERNATIONAL SEARCH REPORT

Information on patent family members

02/12/99

International application No.
PCT/SE 00/00522

	atent document I in search report	Publication date	Patent family member(s)	Publication date
US	5717512 A	10/02/98	AU 3006297 A WO 9743677 A	05/12/97 20/11/97
US	3868706 A	25/02/75	NONE	
US	4499490 A	12/02/85	NONE	
US	5606368 A	25/02/97	NONE	